JAHNSON :

JOBSITE TOUGH!






LASERS



LEVELS

| Wood Levels | | | | | | | | 16 |
|----------------------------------|--|--|--|--|--|-----|-----|----|
| Box Levels | | | | | | | | 17 |
| I-Beam Levels | | | | | | . ' | 18- | 20 |
| Level Cases | | | | | | | : | 20 |
| Utility & Special Purpose Levels | | | | | | | | 21 |
| Torpedo Levels | | | | | | . : | 22- | 23 |



SQUARES

| Framing Squares | .24-25 |
|------------------------------|--------|
| Rafter Squares & Protractors | .26-27 |
| Combination Squares | 28 |
| T-Squares | 29 |
| Special Purpose Squares | 30 |



MEASURING & PLUMB BOBS

| Plumb Bobs | | | | . 30 |
|---------------------------------|--|--|--|-------|
| Straight Edges & Cutting Guides | | | | 31-32 |
| Measuring Wheels | | | | 33 |



MARKING & SAFETY PRODUCTS

| Specialty Tools |
|-----------------------------|
| Carpenter Pencils & Crayons |
| Flagging & Barricade |
| Stake Flags |
| Chalk Box |





ROTARY LASERS

- * Green beam is 400% brighter than red beam laser levels
 - Electronic self-leveling both horizontally and vertically
 - Electronically-controlled slope feature







40-6580 Electronic Self-Leveling Dual Grade Horizontal Rotary Laser Level

- Large ± 5° electronic auto-level range. When beyond the leveling range, the laser beam will flash, rotation of the beam will stop, and an audible alarm will activate
- Electronic beam shield to turn the laser beam off in one to three quadrants, when multiple lasers are being used
- Programmable dual slope operation function allows user to perform slope at different inclinations in both x and y axis
- Height of Instrument/Tilt alarm function ensures product accuracy
- Includes: Electronic self-leveling dual grade horizontal rotary laser level, Ni-MH rechargeable battery pack, 9V battery adapter, remote control with 9V battery, detector with 9V battery and clamp, sighting scope, instruction manual with warranty card, hard-shell carrying case



40-6545 Electronic Self-Leveling Rotary Laser Level with GreenBrite® Technology



- Green beam is 400% brighter than red beam laser levels
- Electronically-controlled dual slope feature
- Electronic self-leveling both horizontally and vertically
- Laser modes offered include dot, two adjustable line lengths and two rotational speeds
- Two rotational speeds: 200 and 600 RPM

- Visual and audible alarms when beyond self-leveling range
- Includes: Electronic self-leveling rotary laser level with GreenBrite* technology, vertical mounting adapter, wall/ceiling mount, Ni-MH rechargeable battery pack, 6V battery adapter, remote control with 9V battery, 2 magnetic targets, 2 tinted glasses, instruction manual with warranty card, hard-shell carrying case



40-6522 Electronic Self-Leveling Rotary Laser Level with Integral Vertical Mount



- Designed for indoor and outdoor applications
- Electronically-controlled dual slope feature
- Electronic self-leveling horizontally and vertically
- Laser modes offered include dot, two adjustable line lengths and two rotational speeds
- Visual and audible alarms when beyond self-leveling range

- Two rotational speeds: 120 and 500 RPM
- Includes: Electronic self-leveling rotary laser level with integral vertical mount, Ni-MH rechargeable battery pack, 6V battery adapter, remote control with 9V battery, detector with 9V battery and clamp, magnetic target, tinted glasses, instruction manual with warranty card, hard-shell carrying case

C ROTARY LASERS



40-6537 Electronic Self-Leveling Horizontal Rotary Laser Level

- Electronic self-leveling and designed for outdoor use
- Reinforced metal roof and glass enclosed beacon
- Electronic beam shield to turn the laser beam off from one to three quadrants for multiple laser usage
- Vibrate mode ignores slight movements as in windy conditions
- · Electronically-controlled dual slope feature

- Visual and audible alarms when beyond leveling range
- Includes: Electronic self-leveling horizontal rotary laser level, detector with clamp and 9V battery, remote control with 9V battery, 6V battery adapter, Ni-MH rechargeable battery pack, 6 "AA" battery holder (batteries not included), instruction manual with warranty card, hard-shell carrying case



40-6535 Electronic Self-Leveling Horizontal Rotary Laser Level

- IVILITIES
- PATENTED 🔀

- Designed for outdoor use and simple set up
- Electronic self-leveling
- Electronically-controlled dual slope feature
- · Visual and audible alarms when beyond leveling range
- Single speed rotation 700 RPM

- Slope operation function allows user to perform slope 8° in both x and y axis
- Height of instrument (HI) alarm function ensures product accuracy
- Includes: Electronic self-leveling horizontal rotary laser level, Ni-MH rechargeable battery pack, 6V battery adapter, remote control with 9V battery, detector with 9V battery with clamp, instruction manual with warranty card, hard-shell carrying case



40-6543 Self-Leveling Rotary Laser Level with GreenBrite® Technology

- Green Beam is 400% brighter than red beam laser levels
- Self-leveling in the horizontal plane
- Locking mechanism protects inner pendulum during transportation
- Manual-leveling in the vertical plane with 90° split beam
- Scan modes include dot and two adjustable line lengths
- Visual and audible alarms when beyond leveling range
- Includes: Self-leveling rotary laser level with GreenBrite® technology, remote control with 9V battery, wall/ceiling mount, Ni-MH rechargeable battery pack, alkaline battery compartment (batteries not included), 6V battery adapter, tinted glasses, magnetic target, instruction manual with warranty card, hard-shell carrying case



40-6532/40-6527 Self-Leveling Rotary Laser Level

- Self-leveling in the horizontal plane
- Locking mechanism protects inner pendulum during transportation
- Manual leveling in the vertical plane with 90° split beam
- Range-scan modes include dot and two adjustable line lengths
- Visual and audible alarms when beyond leveling range
- 40-6527 Includes: Self-leveling rotary laser level, tinted glasses, alkaline battery compartment,
 4 "C" alkaline batteries, instruction manual with warranty card, soft-sided carrying case
- 40-6532 Includes: Self-leveling rotary laser level, Ni-MH rechargeable battery pack, 6V battery adapter, alkaline battery compartment (batteries not included), detector with clamp and 9V battery, remote control and 9V battery, tinted glasses, instruction manual with warranty card, hard-shell carrying case

CROTARY LASERS



40-6515/40-6516/40-6517 Self-Leveling Rotary Laser Level

- Locking mechanism protects inner pendulum during transportation
- Self-leveling in the horizontal plane
- Manual-leveling in the vertical plane with 90° split beam
- Visual and audible alarms when beyond leveling range
- Laser rotates at 200, 400, 600 RPM
- Illuminated vertical vial
- 40-6515 Includes: Self-leveling rotary laser level, tinted glasses, 4 "AA" alkaline batteries, instruction manual with warranty card, soft-sided carrying case
- 40-6516 Includes: Self-leveling rotary laser level, tinted glasses, 4 "AA" alkaline batteries, detector with 9V battery and clamp, instruction manual with warranty card, hard-shell carrying case
- 40-6517 Includes: Self-leveling rotary laser level, 4 "AA" batteries, wall-ceiling mount, 8' grade rod, detector with 2 "AAA" batteries and clamp, tinted glasses, magnetic target, elevating tripod, instruction manual with warranty card, hard-shell carrying case.



40-6502/40-6512 Manual-Leveling Rotary Laser Level

- Emits horizontal laser plane or vertical laser plane with simultaneous 90° split heam
- Large and small scan modes achieve a chalk line
- Scan line can be moved clockwise or counter-clockwise
- Variable rotation speed

- 40-6502 Includes: Manual-leveling rotary laser level, 4 "AA" alkaline batteries, tinted glasses, instruction manual with warranty card, soft-sided carrying case
- 40-6512 Includes: Manual-leveling rotary laser level, 4 "AA" batteries, wall/ceiling mount, 8' grade rod, detector with 2 "AAA" batteries and clamp, tinted glasses, magnetic target, elevating tripod, instruction manual with warranty card, hard-shell carrying case



40-0918 Manual-Leveling Rotary Laser Level

- Manual level in horizontal and vertical planes
- Simultaneous 90° split beam in vertical mode
- Illuminated vials for easy reading in all conditions
- Rotation speed from 0 to 600 RPM
- Includes: Manual-leveling rotary laser level with adjustable base and mounting brackets, 4 "AA" batteries, elevating tripod, instruction manual, tinted glasses, hard-shell carrying case



- * Simultaneously projects five self-leveling beams
 - * Visual and audible alarms when beyond leveling range
 - * Locking mechanism protects inner pendulum during transportation



40-6680 SHOWN

PATENTED 🔀



40-6680 Self-Leveling 5 Beam Laser Dot

- Self-leveling
- Simultaneously projects five self-leveling beams
- Locking mechanism protects inner pendulum during transportation
- Visual and audible alarms when beyond leveling range
- Laser rotates 360° when attached to magnetic laser mount
- **Includes:** Self-leveling 5 beam laser dot, multi-functional magnetic base, 3 "AA" alkaline batteries, mounting strap, magnetic target, tinted glasses, instruction manual with warranty card, soft-sided carrying case

40-6675 Self-Leveling 3 Beam Laser Dot PATENTED 🔀

- Self-leveling
- · Simultaneously projects three self-leveling beams
- · Locking mechanism protects inner pendulum during transportation
- · Visual and audible alarms when beyond leveling range
- Dust and water resistant
- Includes: Self-leveling 3 beam laser dot, magnetic target, 3 "AA" alkaline batteries, instruction manual with warranty card, soft-sided pouch





40-6670 Self-Leveling 2 Beam Laser Dot

- Self-leveling
- · Simultaneously projects two self-leveling beams
- Locking mechanism protects inner pendulum during transportation
- Visual and audible alarms when beyond leveling range
- Includes: Self-leveling 2 beam laser dot, 3 "AA" alkaline batteries, magnetic target, instruction manual with warranty card, soft-sided pouch



- · Precision crafted anodized, machined aluminum frame for superior accuracy and durability
- Four vials read plumb, level, 45° and cross check
- Three 90° beams emit simultaneous level, plumb and square reference points



- Strong magnetic base, tripod mount and v-groove frame for maximum versatility
- Leveling base included
- Includes: Three-beam magnetic torpedo laser level, leveling base, 3 "AAA" alkaline batteries, instruction manual with warranty card, soft-sided pouch





- * Visual and audible alarms when beyond leveling range
- * Projects three vertical lines, two horizontal lines and one plumb-down beam
 - * Locking mechanism protects inner pendulum during transportation
 - * Laser beam can be set to pulse for use with optional detector





40-6662 Quad-Line Self-Leveling Cross **Line Generator with Plumb Beam**

- Self-leveling with visual and audible alarms when beyond leveling range
- Projects three vertical lines, two horizontal lines and one plumb-down beam
- Optional manual mode
- Laser beam can be set to pulse for use with optional detector
- · Locking mechanism protects inner pendulum during transportation
- Includes: Quad-Line self-leveling line generator with plumb beam, Ni-MH rechargeable battery pack, 6.4 V battery adapter, tinted glasses, magnetic target, instruction manual with warranty card, hard-shell carrying case

40-6602 Self-Leveling Cross Line Laser Level with 3 Vertical Lines



- · Indoor and outdoor use
- Simultaneously projects three vertical lines and one horizontal line to form a cross line in front of the laser.
- Locking mechanism protects inner pendulum during transportation
- Self-leveling with visual and audible alarms when beyond leveling range
- · Emits continuously both a solid and pulse beam (pulse beam for use with optional detector)
- Manual mode allows unit to tilt to extreme angles
- Includes: Self-leveling cross line laser level with 3 vertical lines, 3 "AA" alkaline batteries, tinted glasses, magnetic target, instruction manual with warranty card, soft-sided carrying case





- Green beam is 400% brighter than red beam laser levels
- Self-leveling laser with optional manual mode
- Simultaneously projects vertical and horizontal laser lines
- Visual and audible alarms when beyond leveling range
- Locking mechanism protects inner pendulum during transportation
- · Manual mode allows unit to tilt to extreme angles

PATENTED 🔀

• Includes: Self-leveling cross line laser level with GreenBrite technology, tripod/wall mount bracket, mounting strap, 6V battery adapter, tinted glasses, magnetic target, Ni-MH rechargeable battery pack, instruction manual with warranty card and hard-shell carrying case

LINE LASERS



40-0912/40-0921 Self-Leveling Cross-Line Laser Level

- 360° graduated base allows angle layout
- Interior horizontal and vertical layout
- Emits cross line lasers
- Self-leveling within ± 6°
- Locking mechanism protects inner pendulum during transportation
- 40-0912 Includes: Self-leveling cross line laser level, 3 "AAA" alkaline batteries, instruction manual with warranty card and soft-sided carrying case
- 40-0921 Includes: Self-leveling cross line laser level, 3 "AAA" alkaline batteries, tinted glasses, elevating tripod, instruction manual with warranty card, hard-shell carrying case



40-6625 Self-Leveling Ultra-Bright Cross-Line Laser Level



- High-powered bright red cross beam laser level
- Self-leveling with optional manual mode
- Manual mode allows unit to tilt at extreme angles
- Locking mechanism protects inner pendulum during transportation
- Visual and audible alarms when beyond self-leveling range
- Multi-functional magnetic base with rare earth magnets for use on walls, metallic surfaces or tripod
- Includes: Self-leveling crossline laser level, multi-functional mount, 3 "AA" alkaline batteries, mounting strap, magnetic target, instruction manual with warranty card, soft-sided pouch



40-6616 Tiling/Flooring Laser Level

- Generates two lines on the floor at 90° angles for surface layout including tile, stone, brick, carpet and hardwood flooring
- Projects two laser beams over wet mastic or concrete
- Angles are easily established with the built-in protractor
- **Includes:** Tiling/flooring laser level, 2 "AA" alkaline batteries, floor target, instruction manual with warranty card, soft-sided pouch



9250 HOT SHOT LaserMouse

PATENTED 🔀

- Adheres to any surface for hands-free use
- Superstick[™] adhesive system is reusable, sticks to any surface and leaves no marks or holes
- Projects a laser line up to 30 ft
- Integrated horizontal and vertical leveling vials
- Includes: Reusable Superstick[™] adhesive strip, 2 "AA" alkaline batteries, instruction sheet, protective carrying pouch



ACCULINE PRO

TORREDO LASERS

- Three vials read plumb, level and cross check
 - Aluminum frame for superior accuracy and durability
 - Built-in, rotating head swivels projects laser dot, horizontal or vertical lines





Aluminum frame for superior accuracy and durability

- Three vials read plumb, level and cross check.
- Built-in, rotating head swivels projects laser dot, horizontal or vertical lines

40-6174 Magnetic Torpedo Laser Level w/Base PATENTED ₩

- V-grooved bottom surface for use on pipe or conduit
- Leveling base included
- Includes: Magnetic torpedo laser level, base (leveling bracket), 2 "AA" alkaline batteries, two mounting straps, instruction manual with warranty card, soft-sided pouch

40-6164 Magnetic Torpedo Laser Level

- Aluminum frame for superior accuracy and durability
- Four vials read plumb, level, 45°, and cross check
- Built-in, rotating head swivels projects laser dot, horizontal or vertical lines



• Includes: Magnetic torpedo laser, 2 "AAA" alkaline batteries, instruction manual with warranty card, soft-sided pouch



• Three vials read plumb, level and cross check

- Built-in, rotating head swivels projects laser dot, horizontal or vertical lines
- Durable molded housing is impact resistant

40-0915 HOT SHOT[®] Magnetic Torpedo Laser Level

Includes: Magnetic torpedo laser level,
 2 "AAA" alkaline batteries, instruction manual





LASER/DISTANCE MEASURING

40-6001 Distance Measuring Tool

- Designed for indoor and outdoor applications
- Measure vertically or horizontally in almost any light conditions
- Large LCD screen with bright backlight & illuminated vial
- Sound activated measuring mode for awkward positions
- Compact size fits easily in tool belt or pocket
- Stores 10 individual measurements sequentially
- Integrated vial quickly levels LDM for assured measurement accuracy
- Includes: Laser distance measure, soft-sided pouch, safety strap, rubberized LDM protection cover, 9V battery, instruction manual



As Easy As:



Turn On



Press Measure Button



Record Measurement

SIMPLE:

1-Person Operation, Push Button and Measure

VERSATILE:

Calculate Length, Area, Volume and Indirect Heights

RELIABLE:

Sound-Activated, 10 Calculation Memory





Functions:

- Single Distances
- Area (square)
- Volume (cube)
- Indirect Heights (Pythagoras)
- Stake Out
- 10 Measurement Memory

Designed for:

- Fast
 Estimating
- Carpentry
- Framers
- Flooring
- Plumbing
- Electric
- HVAC
- Appraisers
- Painters
- MRO

- Continuous Measuring/Laser
- Min/Max
- Addition/Subtraction
- Feet, Inches, Feet/Inches, Meters

Quickly & Accurately Calculates:















PRO

OPTICAL LEVELS

- Water and dust resistant for use in most weather conditions
 - 1:100 stadia for distance estimation
 - Wire-hung, magnetically dampened compensator
 - 360° horizontal circle



40-6926 SHOWN



40-6926 26X Automatic Level

- Water and dust resistant for use in most weather conditions
- Wire-hung, magnetically dampened compensator
- Large, easy-to-use focusing knob
- 360° horizontal circle
- · Prism for bubble viewing

- Top-mounted optical sight for quick reference
- Fine adjustment knobs on left and right sides with endless horizontal drive
- 1:100 stadia for distance estimation
- 5/8" 11 threads for standard tripods
- Includes: 26X Automatic level, instruction manual with warranty card, hard-shell carrying case



40-6900 22X Builder's Level

- Horizontal Circle Graduated to single degrees and reads by vernier direct to 15 minutes
- Horizontal Lock & Tangent Screw For precise movement control
- Built-in Sunshade For clear sighting
- Top Mounted Leveling Vial For effortless viewing
- Large Leveling Screws Easy to turn
- Versatile Ideal for leveling foundations, driveways, patios, floors, for grading street, curbs ditches, for aligning fences; or any other light construction job
- Includes: 22X Builders level, instruction manual with warranty card, hard-shell carrying case



40-6910 22X Builder's Transit Level

- Horizontal Circle Graduated to single degrees and reads by vernier direct to 15 minutes
- Vertical Arc Reads to degrees 0 45°
- Horizontal Tangent Screw & Vertical Lock & Tangent Screw - For precise movement control
- Built-in Sunshade For clear sighting
- Top Mounted Leveling Vial For effortless viewing

- Large Leveling Screws Easy to turn
- Versatile Ideal for leveling foundations, driveways, patios, floors, for grading street, curbs ditches, for aligning fences; or any other light construction job
- Includes: 22X Builder's transit level, instruction manual with warranty card, hard-shell carrying case



80-5556 Hand-Held Sight Level

- Level vial bubble, crosswire and object sight are all seen through the level at the same time
- Obtain level line of sight over long distance
- Convenient pocket-sized tool
- For leveling, grading and hundreds of construction tasks

O DETECTORS



40-6790 Universal Detector

- Extends the range of a rotating laser
- Universal detector has a 240 degree detecting window for receiving the laser beam
- Bright LED's and an LCD display signal the direction of the laser beam
- Removable grade rod bracket for machine mounting
- Includes: Universal detector, 4 "AA" alkaline batteries, instruction manual with warranty card, hard-shell carrying case



40-6791C Machine Mountable 360 Degree Detector with Clamp

- Unit has a 360 degree receiving window and is ideal for clamping on machinery
- Universal detector has a 360 degree detecting window for receiving the laser beam
- Bright LED's displays signal the direction of the laser beam
- Unit can be used with a 12V battery or with rechargeable batteries that are included
- Includes: Machine mountable 360° detector with clamp, Ni-MH rechargeable battery pack, cable, charger, instruction manual with warranty card, hard-shell carrying case



40-6791M Machine Mountable 360 Degree Detector with Magnet

- Unit has a 360 degree receiving window and is ideal for magnetically mounting on machinery
- Bright LED's displays signal the direction of the laser beam
- Unit can be used with a 12 volt battery or with rechargeable batteries that are included
- Includes: Machine mountable 360° detector with magnet, Ni-MH rechargeable battery pack, cable, charger, instruction manual with warranty card, hard-shell carrying case



40-6792 Remote Display

- •Remote display can be mounted near the operator and transfers the signal from the machine mountable detector to the remote display
- Remote display is connected to machine mountable detectors with the provided cable
- The LED's on the remote display correspond with that of the machine mountable detector
- Includes: Remote display, cable, instruction manual with warranty card





40-6715 Two-Sided Laser Detector with Clamp

- · Quickly and accurately locates laser signal emitted from rotary lasers
- Audible and visual indicators for precise leveling
- Front and back dual displays are back-lit for easy reading

- Fine and course (wide and narrow) detection settings
- Clamp attaches to grade rods
- Includes: Two-sided laser detector, 9V battery, clamp, instruction manual with warranty card



40-6700 One-Sided Laser Detector with Clamp

- Quickly and accurately locates laser signal emitted from rotary lasers
- · Audible and visual indicators for precise leveling
- Front display is back-lit for easy reading
- Fine and course (wide and narrow) detection settings
- Clamp attaches to grade rods
- Includes: One-sided laser detector, 9V battery, clamp, instruction manual with warranty card

40-6760 One-Sided Laser Detector with Clamp for Green Beam Lasers



- Quickly and accurately locates laser signal emitted from green beam rotary lasers
- Audible and visual indicators for precise leveling
- Front display is back-lit for easy reading
- Fine and course (wide and narrow) detection settings
- Clamp attaches to grade rods
- Includes: One-sided laser detector, 9V battery, clamp



40-6705 One-Sided Laser Detector with Clamp

- Quickly and accurately locates laser signal emitted from rotary lasers
- Audible and visual indicators for precise leveling
- Clamp attaches to grade rods
- Includes: One-sided laser detector. 2 "AAA" batteries, clamp, instruction manual with warranty card

40-6780 Line Generator Laser Detector with Clamp

- With this laser detector, a line generated pulse laser level can be used both indoors with bright light and/or outdoors in the sunlight where the beams are not visible
- · Audible and visual indicators for precise leveling
- Clamp attaches to grade rods
- Use with AcculinePro® 40-6602 & 40-6662 line-generating lasers with pulse
- Includes: Laser detector, 9V battery, clamp, instruction manual with warranty card



TRIPODS AND ACCESSORIES



Aluminum Grade Rods

- Durable aluminum construction with protective anodized finish
- Telescoping rod for easy storage
- Dual graduations read engineers scale feet/ tenths on front and standard feet/inches on back
- · Snap on circular leveling vial included
- Nylon carrying bag w/shoulder strap

• Models:

40-6320 16' Aluminum Grade Rod

with carrying bag

40-6310 13' Aluminum Grade Rod with carrying bag

40-6862 8' Aluminum Grade Rod

with carrying bag

40-6330 Heavy-Duty Elevating Tripod

- Durable aluminum construction with extendable legs and elevating platform
- Adjustment range from 4' to 10' (nominal length)
- Quick connection for lasers with 5/8" 11 threads
- Heavy duty folding handle for fine height adjustments
- Feet have sharp metal points for use on uneven outdoor terrain and removable rubber covers for use indoors
- Safety chains prevent legs from accidental collapse
- Heavy duty carrying strap included





40-6340 Heavy-Duty Aluminum Tripod

- Durable aluminum construction with extendable legs
- Adjustment range 4' to 5'5" (nominal length)
- Quick connection for lasers with 5/8" 11 threads
- Feet have sharp metal points for use on uneven outdoor terrain and removable rubber covers for use indoors
- Safety chains prevent legs from accidental collapse
- · Heavy duty carrying strap

40-6335 Contractor Grade Aluminum Tripod

- Durable aluminum construction with extendable legs
- Adjustment range from 4' to 5' (nominal length)
- Quick connection for lasers with 5/8" - 11 threads
- Feet have sharp metal points for use outdoor and removable rubber covers for use indoors
- Carrying strap



40-6861 Dual Purpose Aluminum Tripod with 1/4" - 20 Adapter

- · Lightweight, portable aluminum tripod
- Adjustment range from 2' to 5'5" (nominal length) includes elevating column with fine adjustment knobs
- Tripod feet are adjustable for indoor and outdoor
- Adapter that reduces threads from 5/8" 11 to 1/4"
 20
- **Includes:** Aluminum tripod, 1/4" 20 adapter, nylon carrying bag with shoulder strap




TRIPODS AND ACCESSORIES

40-6350 Universal Tripod/Grade Rod Kit

- Tripod is made of durable aluminum construction with extendable legs (40-6335 Tripod)
- Tripod has quick connection for 5/8" 11 threaded lasers
- Tripod working range is 4' to 5' (nominal length)
- Aluminum grade rod is constructed of heavy duty aluminum with silver anodized finish
- Grade rod increments are in feet/tenths on front and feet/inches on back (40-6310 Grade Rod)
- Includes: Aluminum tripod, 13' grade rod





40-6863 Tripod Adapter

- Converts 5/8"-11 tripods thread size to 1/4" 20
- Swivelling adapter plate allows for 360° rotation
- Locking knob secures instrument to desired location

40-6304 Multi-Function Mount for Rotary Laser Levels

- Durable mount easily affixes laser level to a wall or track
- Standard 5/8" screw bolt fits most laser levels
- Large hand wheel provides fine adjustment for alignment
- Graduated housing in inches and cm
- Use for installing drop ceilings
- Soft sided carrying case included
- Includes: Multi-function mount, soft-sided carrying case



40-6300 Interior Laser Pole

- Designed for interior use
- Adjustable elevating range: 2.33' to 11'
- Quick release/lock elevating clamp with 5/8" 11 thread fits most lasers
- Spring-loaded end provides tight compression fit from floor to ceiling
- Includes: Interior laser pole, soft-sided carrying case





40-6370 Magnetic Floor Target

- Enhances the brightness of laser line or point
- Back stand folds out to keep upright on floor
- Magnetic for convenient attachment to metal for hands free use

40-6720 Red Beam Universal Detector Kit

- Red beam two-sided laser detector with 2 "AA" batteries and clamp (40-6715)
- Red magnetic floor target (40-6370)
- Red laser enhancement glasses (40-6842)





14



40-6725 Green Beam Laser Enhancement Kit

- Enhances the visibility of green beam lasers
- Green magnetic floor target (40-6846)
- Green laser enhancement glasses (40-6840)



LCD screen rotates 180°

 5 construction languages - units of measure (degrees, percent, mm/m, in/ft in decimal, in/ft in fractional)

 Glo-View[®] enhances vial readability in low light



PATENTED



40-6028/40-6048 **Digital Levels**



*Patent Pending



40-6028 SHOWN

- Patented Glo-View vial enhances readability in low light
- Natural light or hand-held light sources re-charge the vial surrounds
- LCD screen rotates 180°
- 5 construction languages units of measure (degrees, percent, mm/m, in/ft in decimal, in/ft in fractional)
- Self-calibrated

- 0° to 10° and 80° to 90 °position of inclination is confirmed by a signal tone
- Numbers invert for working overhead
- Reference function making any slope "0.0"
- Hold function locks measurement on the LCD
- 40-6028/40-6048 Includes: 28" Digital Level or 48" Digital Level, 3 "AAA" alkaline batteries, instruction manual, soft-sided pouch

40-6060 Electronic Level Inclinometer



- LCD screen digitally displays inclination in degrees or percent
- · Automatic digit inversion for overhead measurements
- Push button calibration
- Audible indicator for level 0° and plumb 90°
- Strong holding magnetic edge allows hands free use on ferrous metal surfaces
- Working range 4 x 90°
- Accuracy ± 0.1° at 0°, 90°
- Includes: Electronic level inclinometer, 3 "AAA" alkaline batteries, instruction manual, soft-sided pouch

40-6080 Electronic Level **Inclinometer with Rotating Display**





- 5 construction languages units of measure (degrees, percent, mm/m, in/ft in decimal, in/ft in fractional)
- LCD screen rotates 180°
- · Automatic digit inversion for overhead measurements
- Push button calibration
- Laser beam for transfer of reference points

- Audible indicator for level 0° and plumb 90°
- Strong holding magnetic edge allows hands free use on ferrous metal surfaces
- Working range 4 x 90°
- Accuracy ± 0.1° at 0°, 90°
- Includes: Electronic level inclinometer with rotating display, 3 "AAA" alkaline batteries, instruction manual, soft-sided pouch

40-6065 Digital Laser Level & Angle Locator

- 5 construction languages units of measure (degrees, percent, mm/m, in/ft in decimal, in/ft in fractional)
- Working range of angle measurement is 0° to 182.5°
- · Automatic digit inversion for overhead measurements
- · Laser beam for transfer of reference points
- Push button calibration
- Audible indicator at 0° and 90°
- Strong holding magnetic edge allows hands free use on ferrous metal surfaces
- Includes: Digital laser level and angle finder, 3 "AA" alkaline batteries, instruction manual, soft-sided pouch



40-6064 Digital Angle Locator

- · Digitally displays angle
- Angle measurements in degrees
- Working range of angle measurement 0 to 222°
- Automatic shut-off
- Hold function to freeze measurement
- Includes: Digital Angle Locator, 9V alkaline battery, instruction manual, soft-sided pouch



- Oversized Anti-Slip/ Anti-Shock rubber end caps
- Tongue and groove laminate construction
- Stainless steel bindings protect working edge
- · Scratch resistant glass lenses
- Durable acrylic







Hand set vials assure accuracy

B1048 SHOWN



BIG J[®] Hardwood Levels

Laminated walnut/maple construction resists warping

- 16 gauge stainless steel bindings resist rust and corrosion
- Hand set vials for assured accuracy
- Durable impact resistant acrylic vials are stronger than glass

• Replaceable hardened glass lenses resist scratching and fogging · Anti-Slip/Anti-Shock rubber end caps

- protect frame
- Models:

BIG J' SERIES

B1024 24" BIG J[®] Hardwood Level B1048 48" BIG J* Hardwood Level



Hardwood I-Beam Levels

IB SERIES

PATENTED 🔀

PATENTED 🔀

- Heavy-duty I-Beam aluminum frame assures strength
- · Birch hardwood panels inserted in frame
- · Hand set vials for maximum accuracy
- Durable impact resistant acrylic vials are stronger than glass

· Replaceable hardened glass lenses resist scratching and fogging

- Shock absorbing rubber end caps protect frame
- Models:

IB24 24" Hardwood I-Beam Level

IB48 48" Hardwood I-Beam Level

IB72 72" Hardwood I-Beam Level

Mahogany Levels

500 SERIES



- · Select mahogany frame with brass bound edges for assured durability
- Hand set vials assure maximum accuracy
- Durable impact resistant acrylic vials are stronger than glass
- · Replaceable hardened glass lenses resist scratching and fogging
- Shock absorbing rubber end caps protect frame
- Models:

524 24" Brass Bound Mahogany Level

536 36" Brass Bound Mahogany Level

548 48" Brass Bound Mahogany Level

EcoTech® Wood Levels

700 SERIES

PATENTED 🔀

- · Laminated American hardwood with metal bound edges
- Hand set vials for assured accuracy
- Durable impact resistant acrylic vials are stronger than glass
- Replaceable hardened glass lenses resist scratching and fogging

- Shock absorbing rubber end caps protect frame
- · Laminate construction enhances frame strength
- New-Growth American Hardwood -Environmentally conscious design

724 24" EcoTech® Birch Laminate Wood Level 748 48" EcoTech® Birch Laminate Wood Level

|OHNSON |

- Glo-View® enhances vial readability in low light
 - Large comfortable rubberized hand grips
 - Anti-slip/Anti-shock end caps

 Reinforced aerospace aluminum alloy frame **Glo-View**

EXCLUSIVE GLOW-IN-THE-DARK VIAL SYSTEM



Domed level vial offers 320 degree visibility

1707-2400 SHOWN







Glo-View® Heavy Duty Aluminum Box Levels

1707 SERIES





- Patented Glo-View vial enhances readability in low light
- Natural light or hand-held light sources re-charge the vial surrounds
- Domed level vial offers 320 degree visibility
- Large comfortable rubberized hand grips
- Reinforced aerospace aluminum alloy frame
- Precision milled edges assure frame accuracy
- Anti-slip/Anti-shock end caps
- Models:

24" Glo-View® Aluminum Box Level 48" Glo-View® Aluminum Box Level 72" Glo-View® Aluminum Box Level 1707-2400 1707-4800 1707-7200 96" Glo-View® Aluminum Box Level 1707-9600








Aluminum Box Levels

1711 SERIES

Pending



- · Screwed on hand grips stay on tool
- Solid block acrylic vials won't fog, leak or break
- Anti-Slip/Anti-Shock removable end caps protect frame
- Models:


1711-2400 24" Heavy Duty Aluminum Box Level 1711-4800 48" Heavy Duty Aluminum Box Level 1711-7200 72" Heavy Duty Aluminum Box Level



Magnetic Aluminum Box Levels

9500 SERIES





- Solid block acrylic vials won't fog, leak, or break
- Heavy-duty box aluminum frame is JobSite Tough™
- Precision milled edges assure frame accuracy
- Ergonomic rubberized hand grips

- Anti-Slip/Anti-Shock removable end caps protect frame
- Models:

9524 24" Magnetic Aluminum Box Level

(No hand grips)

48" Magnetic Aluminum Box Level 9548-HH 78" Magnetic Aluminum Box Level



Aluminum Box Levels

9800 SERIES



- · Solid block acrylic vials won't fog, leak or break
- Heavy-duty box aluminum frame is JobSite Tough™
- Precision milled edges assure frame accuracy
- Ergonomic rubberized hand grips
- · Anti-Slip/Anti-Shock removable end caps protect frame

Models:

9824-HH 24" Aluminum Box Level 9832-HH 32" Aluminum Box Level 9836-HH 36" Aluminum Box Level 9848-HH 48" Aluminum Box Level 9872-HH 72" Aluminum Box Level 9896-HH 96" Aluminum Box Level



- Oversized Anti-Slip/ Anti-Shock end caps protect frame
- Oversized solid aluminum frame is JobSite Tough™
- SurroundView[®] vial system for enhanced readability
- Rubberized cushioned hand grips
- Machined working edges assure maximum accuracy

- Quik-Change replaceable cover plates and vials for in the field service
- Oversized top-read windows for easy viewing



- Powerful GripTight* rare earth magnets have superior holding power on ferrous metal surfaces
 - Oversized 1/2" diameter vials are easy-read





Magnetic BIG J[®] Aluminum Levels

1501 BIG J' SERIES



- Powerful GripTight® BIG J® rare earth magnets have superior holding power on ferrous metal surfaces
- Oversized solid aluminum frame is JobSite Tough™
- Machined working edges assure maximum accuracy
- Oversized 1/2" diameter vials are easy-read
- Quik-Change" replaceable cover plates and vials for in the field service
- · Oversized top-read windows for easy viewing

- SurroundView* vial system for enhanced readability
- Oversized Anti-Slip/Anti-Shock end caps protect frame
- Rubberized cushioned hand grips
- Models: 1501-2400 24" Magnetic BIG J°

Heavy Duty Aluminum Level

1501-4800 48" Magnetic BIG J

Heavy Duty Aluminum Level

1501-7800 78" Magnetic BIG J^{*}

Heavy Duty Aluminum Level



BIG J[®] Aluminum Levels

1500 BIG J* SERIES



- Oversized solid aluminum frame is JobSite Tough™
- Machined working edges assure maximum accuracy
- Oversized 1/2" diameter vials are easy-read
- Quik-Change replaceable cover plates and vials for in the field service
- Oversized top-read windows for easy viewing
- SurroundView® vial system for enhanced readability
- Oversized Anti-Slip/Anti-Shock end caps protect frame
- Rubberized cushioned hand grips

• Models: 1500-2400 24" BIG J Heavy Duty Aluminum Level

1500-4800

48" BIG J* Heavy Duty

Aluminum Level

1500-7200

72" BIG J[®] Heavy Duty Aluminum Level



Magnetic Heavy Duty Aluminum Levels with Multi-Pitch® **1100 SERIES**



- Multi-Pitch[®] level vial reads slope in 1/8" increments
- Strong holding magnetic edge allows hands free use on ferrous metal surfaces
- · Heavy-duty aluminum frame assures durability and accuracy - JobSite Tough™
- Top read window simplifies readability

- Durable easy-read acrylic vials are impact resistant
- Quik-Change replaceable cover plates and vials for in the field service
- Shock absorbing end caps protect frame
- Models: 1124 24" Magnetic Heavy Duty Aluminum Level with Multi-Pitch®

1148 48" Magnetic Heavy Duty Aluminum Level with Multi-Pitch®



Magnetic JobSite™ Heavy Duty Aluminum Levels

1204 SERIES

- · Strong holding magnetic edge allows hands free use on ferrous metal surfaces
- Heavy-duty aluminum frame assures durability and accuracy - JobSite Tough™
- · Color coded hand grips, end-caps and cover plates
- Non-slip comfort grip hand grips
- Shock absorbing end caps protect frame
- SurroundView® reflects ambient light for easy read

- Top read window maximizes readability
- Over-sized easy read 1/2" vials
- Models: 1204-2400 24" Magnetic JobSite™
 - Heavy Duty Aluminum Level 1204-4800 48" Magnetic JobSite™
 - Heavy Duty Aluminum Level
 - 1204-7800 78" Magnetic JobSite™
 - Heavy Duty Aluminum Level



JobSite™ Heavy Duty Aluminum Levels

1203 SERIES

- · Heavy-duty aluminum frame assures durability and accuracy - JobSite Tough™
- Color coded hand grips, end-caps and cover plates
- Non-slip comfort grip hand grips
- · Shock absorbing end caps protect frame
- SurroundView® reflects ambient light for easy read
- Top read window maximizes readability
- Over-sized easy read 1/2" vials
- Models: 1203-2400 24" JobSite™ Heavy Duty

Aluminum Level

1203-4800 48" JobSite™ Heavy Duty

Aluminum Level

1203-7200 72" JobSite™ Heavy Duty

Aluminum Level



Magnetic Professional Aluminum Levels

3800 SERIES

- Strong holding magnetic edge allows hands free use on ferrous metal surfaces
- Heavy-duty aluminum frame assures durability and accuracy - JobSite Tough™
- Top read window maximizes readability
- · Durable easy-read acrylic vials are impact
- Quik-Change replaceable cover plates and vials for in the field service

- Shock absorbing end caps protect frame
- Models:
- **3818** 18" Magnetic Professional Aluminum Level
- **3824** 24" Magnetic Professional Aluminum Level
- **3836** 36" Magnetic Professional Aluminum Level
- **3848** 48" Magnetic Professional Aluminum Level
- **3872** 72" Magnetic Professional Aluminum Level
- **3878** 78" Magnetic Professional Aluminum Level
- **3896** 96" Magnetic Professional Aluminum Level



Professional Aluminum Levels

- Heavy-duty aluminum frame assures durability and accuracy - JobSite Tough™
- Top read window maximizes readability
- Durable easy-read acrylic vials are impact
- Quik-Change replaceable cover plates and vials for in the field service

3700 SERIES

- Shock absorbing end caps protect frame
- Models:
- **3718** 18" Professional Aluminum Level
- **3724** 24" Professional Aluminum Level
- **3736** 36" Professional Aluminum Level
- 3748 48" Professional Aluminum Level
- **3772** 72" Professional Aluminum Level **3796** 96" Professional Aluminum Level



Magnetic Aluminum I-Beam Levels

1700 SERIES



- Magnetic working edge holds to ferrous metal surfaces for hands free use
- · Rigid aluminum frame assures durability and accuracy
- Top read window for easy readings
- Impact resistant acrylic vials assure accuracy
- Quik-Change replaceable cover plates and vials for in the field service
- Shock absorbing end caps protect frame
- Models: 1724 24" Magnetic Aluminum Level 1748 48" Magnetic Aluminum Level 1772 72" Magnetic Aluminum Level



Aluminum I-Beam Levels

1300 SERIES



- · Rigid aluminum frame assures durability and accuracy
- Top read window for easy readings
- Impact resistant acrylic vials assure accuracy
- Quik-Change replaceable cover plates and vials for in the field service
- Shock absorbing end caps protect frame
- Models:
- 1324 24" Aluminum Level with Ruled Edge
- 1336 36" Aluminum Level with Ruled Edge
- 1348 48" Aluminum Level with Ruled Edge
- 1472 72" Aluminum Level (No Rule)



Aluminum Levels

STANDARD SERIES



- Aluminum frame
- Quik-Change replaceable vial covers
- Impact resistant acrylic vials assure accuracy
- V-Groove edge

- Models: 183 18" Aluminum Level
 - 243 24" Aluminum Level
 - 363 36" Aluminum Level
 - 483 48" Aluminum Level



Structo-Cast® Levels

7700 SERIES



PATENTED 🔀

- Tough Structo-Cast® frame is non-conductive and even floats
- Structo-Cast® frame will not scratch fine wood or painted surfaces
- · Durable acrylic vials are impact resistant
- Quik-Change replaceable vial covers
- Models: 7724-O 24" Orange Structo-Cast Level
 - 7748-0 48" Orange Structo-Cast Level

LC48 Level-Guard® Level Case

- Exclusive structural contours add strength
- Removable, snap-on cap

- Protects your level during transport and storage
- 48" Level-Guard Level Case

Soft Sided Level Cases

· Tough, high-density molded case

- Durable, water resistant nylon outer shell
- Extra reinforcement stitching & heavy duty zipper
- Protects your level during transport and storage







555 3" Aluminum Line Level



- Durable aluminum hexagonal body
- · Lightweight construction reduces line sag
- Unrestricted hooks allow for easy movement
- Use for masonry, landscape and sheet metal work



Structo-Cast® Line Levels

- Durable level vial is impact resistant
- · Lightweight construction reduces line sag
- · Unrestricted hooks allows for easy movement on line
- Use for masonry, landscape and sheet metal work
- Models:

575 3" Structo-Cast Line Level 585 3" Structo-Cast Line Level - 2 Pack



125 Cross Check Level

- Levels in horizontal and vertical planes simultaneously
- · High-Impact body with mounting holes
- Durable acrylic vials are impact resistant
- Use for leveling appliances, electronic equipment and RV's



100 Circular Level

- Levels in all directions
- Durable acrylic body with mounting holes
- Use for leveling appliances, electronic equipment or RV's



500 Pocket Level



PATENTED 🔀

PATENTED 🔀



- Strong magnetic pickup tip
- Durable acrylic vial reads level
- High-Impact body

- · V-Groove edge fits on pipe and conduit
- Metal pocket clip

Post Levels



- Durable molded body
- Rugged acrylic vials read plumb and level simultaneously
- Reflective backing increases vial visibility
- Rubber strap allows hands free use quickly attaches to any post, pole or stringer
- Models:
- **175-O** Orange Post Level 175B-O Bulk Orange Post Level 175M Magnetic Post Level



118000 Picture Perfect™ Level

- · Reads level and plumb simultaneously
- Use to level picture frames, mirrors, appliances, etc.

· Durable acrylic vial for leveling

- Lightweight, durable body
- Molded housing will not mar or scratch painted or wood surfaces



160 Stud Finder Plus™


- Durable molded body
- Reflective backing increases vial visibility
- Strong magnetic indicator identifies ferrous metal objects in wall
- The only stud finder with a vial



- 4 Vials read plumb, level, Multi-Pitch*, and 45°
- SurroundView[®] vial system enhances readability
- Powerful GripTight[®] V-groove rare earth magnets hold to flat or round ferrous metal surfaces
- Multi-Pitch* vial reads from level to 1/2" pitch in 1/8" increments



- Oversized solid aluminum frame is JobSite Tough™
- Oversized 1/2" diameter vials are easy-read



PATENTED 🔀



10" & 12" Magnetic BIG J° **Torpedo Levels**

- Powerful GripTight® V-groove rare earth magnets hold to flat or round ferrous metal surfaces
- Oversized solid aluminum frame is JobSite Tough™
- Oversized 1/2" diameter vials are easy-read
- Top-read windows for easy viewing
- SurroundView* vial system enhance readability
- 4 Vials read plumb, level, Multi-Pitch*, and 45° for 1415-1200 12" model

- Multi-Pitch[®] center vial reads slope in 1/8" increments
- 3 Vials read plumb, level, and 45° for 1415-1000 10" model
- Models:

1415-1000 10" Magnetic BIG J* Heavy Duty

Torpedo Level

1415-1200 12" Magnetic BIG J* Heavy Duty

Inspector's Level w/Multi-Pitch® Vial




007 Magnetic Glo-View® Torpedo Level



- Patented Glo-View vial enhances readability in low light
- Natural light or hand-held light sources re-charge the vial surrounds
- Powerful V-Groove GripTight® rare earth magnets hold to flat or round ferrous metal surfaces
- SurroundView® vial system enhance readability
- Super strong 10" high-strength glass filled polymer frame is non-conductive
- 3 vials read plumb, level, and 45°



5500M-GLO 9" Magnetic **Glo-View® Heavy Duty Aluminum Torpedo Level**



• Natural light or hand-held light sources re-charge the vial surrounds

• Powerful GripTight* rare earth magnets hold to ferrous metal surfaces



- V-groove frame fits on pipe and conduit
- 3 vials read plumb, level, and 45°
- · Top-read window for easy viewing



1410-0900 9" Magnetic Heavy Duty **Aluminum Torpedo Level with Multi-Pitch**



- Multi-Pitch* level vial reads slope in 1/8" increments
- Powerful GripTight® rare earth magnets hold to ferrous metal surfaces
- Super strong 9" solid aluminum frame is JobSite Tough™
- V-groove frame fits on pipe and conduit
- SurroundView® vial surrounds enhance readability
- 3 Vials read plumb, Multi-Pitch[®] and 45°
- Top-read window for easy viewing



4500M 9" Magnetic **Aluminum Torpedo Level**

- Strong holding magnetic edge holds to ferrous metal surfaces
- Super strong 9" solid aluminum frame is JobSite Tough™
- V-groove frame fits on pipe and conduit
- SurroundView® vial surrounds enhance readability
- 3 vials read plumb, level, and 45°
- · Top-read window for easy viewing



Magentic Aluminum Reinforced Torpedo Levels



- Aluminum reinforced frame
- Rubber magnetic working edge allows for hands-free use on ferrous metal surfaces
- V-groove frame fits on pipe and conduit
- Tapered ends assure an easy fit into tool belts. tool pouches or work pant pockets
- SurroundView® reflects ambient light for easy read in dimly lit work environments
- · Oversized frame
- 12" torpedo level features Multi-Pitch® vial reads slope in 1/8" increments
- Models:

1401-0900 9" Magnetic Aluminum Reinforced

Torpedo Level

1401-1200 12" Magnetic Aluminum Reinforced

Torpedo Level





9" Magnetic Aluminum Torpedo Level

- 9" Magnetic-aluminum reinforced frame
- · V-groove frame fits on pipe and conduit
- Magnetic edge holds to ferrous metal surfaces
- 3 vials read plumb, level, and 45°
- · Top-read window for easy viewing
- V-groove edge

- · High impact panels
- Durable acrylic vials
- Models:

8500M 9" Magnetic Aluminum Torpedo

Level (carded)

1405-0900 9" Magnetic Aluminum Torpedo

Level (bulk packed)



9" Structo-Cast® **Torpedo Levels**

7500 SERIES

- · Magnetic edge holds to ferrous metal surfaces (7500M)
- High impact 9" Structo-Cast frame is non-conductive and non-corrosive
- · V-groove edge fits on pipe and conduit
- 3 Vials read plumb, level, and 45°
- · High visibility color
- Models:
- 7500M
- 9" Magnetic Structo-Cast® Torpedo Level (carded)
- **7500-ORANGE** 9" Orange Structo-Cast Torpedo Level (carded) 9" Orange Structo-Cast Torpedo Level (bulk packed)



1402-0900 9" Structo-Cast® Torpedo Level

- High-impact frame is non-conductive and non-corrosive
- V-groove frame fits on pipe and conduit
- 3 vials read plumb, level and 45°

- Tapered ends assure an easy fit into tool belts. tool pouches or work pant pockets
- High visibility color



FRAMING SQUARES

- Permanently stamped numbers and graduations with easy to see yellow fill
 - 1/8" graduations with Rafter and Essex Board Measures
 - Black anodized finish, will not rust or corrode

CS7 SHOWN

CS7 16" x 24" Aluminum Framing Square

- 24" x 2" body, 16" x 1-1/2" tongue, 1/8" thick
- Permanently stamped numbers and graduations with easy to see yellow fill
- Rafter and Essex Board Measures
- Aluminum construction with black anodized finish, will not rust or corrode

CS5 16" x 24" Professional Aluminum Framing Square

- 24" x 2" body, 16" x 1-1/2" tongue, 1/8" thick
- Permanently stamped numbers and graduations

- Rafter and Essex Board Measures
- Aluminum construction with anodized finish, will not rust or corrode

CS4 16" x 24" Aluminum Carpenter Square

- 24" x 2" body, 16" x 1-1/2" tongue, 1/8" thick
- Permanently stamped numbers and graduations

• Aluminum construction with anodized finish will not rust or corrode

FRAMING SQUARES

CS2 16" x 24" Professional Steel Framing Square

- 24" x 2" body, 16" x 1-1/2" tongue, 1/8" thick
- Permanently stamped numbers and 1/8" graduations
- Rafter and Essex Board Measures
- Durable clear epoxy anti-rust coating

CS3 16" x 24" Steel Carpenter Square

- 24" x 2" body, 16" x 1-1/2" tongue, 1/8" thick
- Permanently stamped numbers and mm (metric) graduations
- · Durable clear epoxy anti-rust coating

CS1 16" x 24" Steel Carpenter Square

- 24" x 2" body, 16" x 1-1/2" tongue, 1/8" thick
- Permanently stamped numbers and 1/8" graduations
- Durable clear epoxy anti-rust coating

430 8" x 12" Steel Carpenter Square

- 12" body x 8" tongue, 1/8" thick
- Permanently stamped numbers and 1/8" graduations

Rugged steel construction with epoxy anti-rust coating

405 Stair/Square Gauge


- Flush mounted thumbscrews
- Used for repeat angle cuts for stairs and rafters
- Attaches to all standard framing and carpenter squares





RAFTER SQUARES & PROTRACTORS

- Solid aluminum body with CNC machined edges for greater accuracy
 - Permanent graduations and numbers
 - Low-glare, protective powder coat finish will not rust or corrode
 - Scribe notches starting at 1-3/4" transfer outside increments from pivot point



RAS-120 SHOWN

12" RAS-120 Professional Rafter/Angle Square

- Solid aluminum body with CNC machined edges for greater accuracy and durability
- Permanent graduations and numbers are easy to read
- Thick edge is useful as a saw guide
- Scribe notches starting at 1-3/4" transfer outside increments from pivot point
- Low-glare, protective powder coated finish
- 12" body spans wider boards simplifying layout and measurements

- Complete instruction manual included with rafter tables
- **Note:** Additional instruction manuals are available at www.johnsonlevel.com

7" Professional Aluminum Rafter/ Angle Squares



- Solid aluminum body with CNC machined edges for greater accuracy and durability
- Permanent graduations and numbers are easy to read
- · Thick edge is useful as a saw guide
- Low-glare, protective powder coated finish
- Complete instruction manual included with rafter tables (RAS-1)
- **Note:** Additional instruction manuals are available at www.johnsonlevel.com
- Models:

RAS-1 7" Heavy-Duty Aluminum Rafter

Angle Square

RAS-1B 7" Bulk Heavy-Duty Aluminum

Rafter Angle Square (No Manual)

RAFTER SQUARES & PROTRACTORS



7 & 12" Structo-Cast® Rafter/Angle Squares

- Durable, light weight Structo-Cast[®] high-impact molded frame
- Permanent molded graduations for quick and easy measurements
- Unique centering feature for circles
- Thick edge is useful as a saw guide
- Built-in scribe notches (12" versions)
- Fluorescent easy-to see colors

- Models: RAS-170B-ORA
- **RAS-70B-ORAN**

12" Bulk Orange Structo-Cast® Rafter/Angle Square

7" Bulk Orange Structo-Cast® Rafter/Angle Square

 Note: Additional instruction manuals are available at www.johnsonlevel.com



700 Professional Magnetic Protractor/Angle Locator



- Easy-to-read increments read 0-90° in all four quadrants printed on durable acrylic lens
- Extra-strong, ceramic magnet adheres to ferrous metal surfaces
- V-Groove edge fits on pipe and conduit
- Inch and metric graduations



750 Protractor - Pitch and Slope Locator



- Easy-to-read increments from 0-90° printed on durable acrylic lens
- Patented printed scale reads pitch in inch rise per 12" run without conversion tables



PATENTED 🔀



COMBINATION SQUARES

- Steel blade with protective anti-rust coating permanently stamped graduations
 - CNC Machined square head for greater accuracy
- Reversible lock bolt and steel thumb screw for accurate alignment of blade and head
 - Heavy-duty cast machined head chip-resistant e-coat finish
- Durable acrylic vial
 - Hardened, screw-in scriber for marking surfaces



middle and the state of the land of the la

440 12" Professional Cast Iron Combination Square

- Steel blade with permanently etched graduations 1/8", 1/16", 1/32"
- Heavy-Duty cast iron head with black finish
- · Reversible head with lock bolt and steel screw
- Hardened, screw-in scriber won't fall out
- Durable acrylic level vial

HARITATIA

hadadahadadadad xadadadaha





420EM 16" Pro Combination Square English/Metric


- Steel blade with permanently stamped graduations 1/8", 1/16", mm
- Heavy-duty cast zinc head with black, chip-resistant e-coating finish
- CNC machined square head for greater accuracy
- Reversible head with lock bolt and steel screw
- Hardened, screw-in scriber won't fall out
- Durable acrylic yellow barrel vial



406EM 6" Pro Heavy-Duty Combination Square English/Metric

- Steel blade with permanently stamped graduations 1/8", 1/16", 1/32", mm
- Heavy-duty cast zinc head with black, chip-resistant e-coating finish
- CNC machined square head for greater accuracy
- Reversible head with lock bolt and steel screw
- Hardened, screw-in scriber won't fall out
- Durable acrylic leveling vial

12" Professional Heavy-Duty Combination Squares



- Heavy-duty cast zinc head with black, chip-resistant e-coating finish
- CNC machined square head for greater accuracy
- · Reversible head with lock bolt and steel screw
- · Hardened, screw-in scriber won't fall out
- Durable acrylic vial
- Models: 400

12" Professional Heavy-duty

Combination Square

400EM 12" Professional Heavy-duty

Combination Square English/Metric

12" Structo-Cast Combination Squares

- Steel blade with permanently stamped graduations 1/8", 1/16", 1/32" (mm on EM)
- Heavy-duty Structo-Cast® molded head
- Reversible head with lock bolt and steel screw
- Durable acrylic level vial

Models:

415 12" Structo-Cast®

Combination Square

415EM 12" Structo-Cast®

Combination Square English/Metric





T-SQUARES

- Extruded Heavy Duty aluminum blade 3/16" thick
- Exclusive design, solid four-rivet construction permanently "bonds" head to blade
- Clear protective anodized finish
- Screened, thermal-bonded black graduations



7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25

JTS48 HD SHOWN

41 40 39 38 37 36 35 34 33 32 31 30 29 28 27 26 25

"The Original" Aluminum Adjust-A-Square T-Squares Series

- Extruded aluminum 1/4" thick blade and head
- Clear protective anodized finish will not rust or corrode
- Screened, thermal-bonded black 1/8" and 1/16" graduations (54" in 1/8")
- Large, bold easy reading graduations
- Head adjusts to any angle

- Precision-Machined head and blade lock together for a perfect 90° angle
- Folds flat for easy transportation
- Models: ADS48 48" Heavy-Duty Adjust-A-Square Drywall T-Square
 - ADS54 54" Heavy-Duty Adjust-A-Square Drywall T-Square

Heavy-Duty Professional Aluminum Drywall T-Squares

- Unique rivet assembly, permanently "bonds" head to blade
- Head will stay square for life of product
- Extruded aluminum 3/16" blade and head thickness
- Clear protective anodized finish

- Screened, thermal-bonded black 1/8" graduations
- Large, bold easy reading graduations
- Models:

JTS48HD 48" Heavy-Duty Drywall T-Square JTS54HD 54" Heavy-Duty Drywall T-Square

JTS48 48" Professional Aluminum Drywall T-Squares

Unique rivet assembly, permanently "bonds" head to blade

- Head will stay square for life of product
- Extruded aluminum 1/8" blade and head thickness
- Clear protective anodized finish
- Screened, thermal-bonded black 1/8" graduations
- Large, bold easy reading graduations

RockRipper® Pro Drywall Scoring Squares PATENTED

- Perforated (1/16" offset) 24" blade accepts utility knife point for fast, efficient drywall scoring
- Molded high impact head with hand grip and board guide
- Screened, thermal-bonded black 1/8" or mm (metric) graduations
- Large, bold graduations are easy reading
- Extruded aluminum blade assures durability
- Models:

RTS24 24" Heavy-Duty Drywall

Scoring Square

RTS24M 24" Heavy-Duty Metric Drywall Scoring Square

68 Job Saw

- Rugged, sharp teeth
- Durable steel blade with anti-rust finish
- · Hardwood handle with lacquer finish





SPÉCIAL PURPOSE SQUARÉS

480 Professional Hardwood Try Square

- Wood handle Try Square with brass gauging edges and routed hand grip
- Heavy duty stainless steel blade assures durability
- Graduations are permanently etched in 1/8" and 1/16" increments





Structo-Cast® Try & Mitre Squares

- Heavy-duty stainless steel blade will not rust or corrode
- Structo-Cast* handle is durable and light weight
- Available in inch, 1/8" increments or metric (mm) graduations
 - Models:450 Try & Mitre Square451 Metric Try & Mitre Square

B85 Professional Hardwood Sliding T-Bevel

- 8" Heavy-duty stainless steel blade with anti-rust coating assures durability
- · Wood handle with routed hand grip
- Brass edging on hand grip
- Durable locking nut holds blade securely in place





B75 Structo-Cast® Sliding T-Bevel

- 8" Heavy-duty adjustable stainless steel blade assures durability
- Durable Structo-Cast* high-impact handle with hand grip
- Durable locking nut holds blade securely in place

PLUMB BOBS



Brass Plumb Bobs

- Brass body
- Corrosion resistant lacquer finish
- Replaceable hardened steel tip
- Removable cap for easy, centered string installation
- Models:
- 108 8 oz. Brass Plumb Bob
- 112 12 oz. Brass Plumb Bob
- 116 16 oz. Brass Plumb Bob
- **124** 24 oz. Brass Plumb Bob
- 132 32 oz. Brass Plumb Bob



Steel Plumb Bobs

- Hexagonal machined steel body
- Corrosion resistant plated finish
- Removable cap for easy, centered string installation
- Models:
- 05 5 oz. Steel Plumb Bob
- 08 8 oz. Steel Plumb Bob
- 012 12 oz. Steel Plumb Bob

STRAIGHT EDGES & CUTTING GUIDES



Stainless Steel Pocket Clip Rules

- Stainless steel blade with etched increments in 1/32" and 1/64"
- Metric version available
- · Conversion tables on back of blade
- Pocket clip for convenient storage

Models:

7202 6" Stainless Steel Pocket Clip Rule7203 6" Stainless Steel Pocket Clip RuleEnglish/Metric



Aluminum Rules

- Durable 1-1/8" wide extruded aluminum rules
- Screened, thermal-bonded black graduations in 1/8" and 1/16"
- Bold, easy to read graduations and numbers
- Clear protective anodized finish

- Models:
- J112 12" Aluminum Ruler J118 18" Aluminum Ruler
- J124 24" Aluminum Ruler



J236 36" Aluminum Yardstick

- Durable 1-1/8" wide extruded aluminum rule
- Screened, thermal-bonded black graduations in 1/8" and 1/16"
- Bold, easy to read graduations and numbers
- Clear protective anodized finish

M391 Aluminum Inch/Metric Rule

- Durable 1-1/8" wide extruded aluminum rule
- Screened, thermal-bonded black graduations in 1/8" and mm
- Bold, easy to read graduations and numbers
- Clear protective anodized finish

3900 Aluminum Meterstick

- Durable 1-1/8" wide extruded aluminum rule
- Screened, thermal-bonded black graduations in mm
- Bold, easy to read graduations and numbers
- · Clear protective anodized finish

STRAIGHT EDGES & CUTTING GUIDES

Heavy-Duty Aluminum Straight Edges

- Heavy Duty extruded aluminum straight edge
- Screened, thermal-bonded increments graduations in 1/8" and 1/16" (J96 reads same direction)
- Bold, easy to read graduations and numbers
- · Clear protective anodized finish

- Models:
- J18 18" Aluminum Straight Edge
 J24 24" Aluminum Straight Edge
 J36 36" Aluminum Straight Edge
 J48 48" Aluminum Straight Edge
 J60 60" Aluminum Straight Edge
 J72 72" Aluminum Straight Edge

J96 96" Aluminum Straight Edge



English/Metric Heavy-Duty Aluminum Straight Edges

- · Heavy Duty extruded aluminum straight edge
- Screened, thermal-bonded black graduations in 1/8", 1/16" and 2 mm
- Bold, easy to read graduations and numbers
- Clear protective anodized finish

- Models:
 - J24EM 24" Aluminum Straight Edge English/Metric
 J36EM 36" Aluminum Straight Edge English/Metric
 J48EM 48" Aluminum Straight Edge English/Metric
 J72EM 72" Aluminum Straight Edge English/Metric





J4900 Tru-Line® Aluminum Cutting Guide



- Two 49" Heavy-duty extruded aluminum rails with patented quick-to-assemble connector
- Guide assures true and accurate cuts
- Includes both rails, joiner plate and two "C" clamps included
- Use with circular saw, router, utility knife, jigsaw and other tools

MEASURING WHEELS

JL0100 Compact Measuring Wheel - 1 foot

- 5 digit, easy-read, magnified counter measures up to 9,999 ft, 11 inches
- 3 piece telescoping aluminum handle extends from 17" to 38" fits into a tool box or briefcase
- Durable, rubber tire 4" diameter



JL0200 Long-Run Measuring Wheel - 3 foot

- 5 digit, easy read, magnified counter measures up to 9,999 ft, 11 inches
- 3 piece square telescoping aluminum handle with pistol grip and safety reflector. Extends from 21" to 41"
- Cam locks used to adjust handle to your preferred height
- Durable rubber tire 11-1/2" diameter
- · Convenient folding stand



1801-0300 Steel Distance Measuring Wheel - 3 foot

- Sealed, well-protected 5 digit counter measures up to 99,999 feet
- Compact fold-down handle with easy lock barrel clamp. Easily reduces to half its size for storage and portability. Handle clasp holds handle in down position
- 3/4" tubular steel frame with center aligned handle for stability with safety reflector
- Durable, precision ground rubber tire 11-1/2" diameter
- · Convenient folding stand



SPECIALTY TOOLS

Butt Markers



- Hardened, stamped steel
- Chisel-like edges
- Built-in depth scribe

• Models:

2035 3-1/2" Butt marker **2040** 4" Butt marker



2206 Professional Contour Gauge

- Stamped steel body with ruled edge
- Stainless steel contour wires match any shape



60-275 Deck-Mate Professional Board Spacing Tool



- Durable, high-impact body
- 1/8" or 3/16" spacer edges
- Nail/screw layout guide for 2" x 4" or 2" x 6" decking

60 Mini Hacksaw



- High impact body
- Accepts any hacksaw blade even broken blades



Tru-Line® Carpenter Pencils

- Flat design will not roll
- Easy to sharpen medium graphite lead
- · Incense cedar basswood
- 7" length x 1/2" width

Models:

2 pack carded CP CPB-12 12 pack boxed CPB-72 72 pack boxed

*Patent

Pending

Tru-Line® Pencil/Crayon Sharpener

- 2-In-1 Sharpener (Sharpens both pencils and crayons)
- Sharpens fast
- · Safer than utility knife
- · Keychain attachment hole
- Durable ABS body

Models:

300-CP Tru-Line® Sharpener with

2 - Carpenter Pencils Carded

300B-50 Tru-Line® Sharpener 50

Piece - Bulk

300B-18 Tru-Line Sharpener

18 Piece Counter Display



Insta-Mark® Mechanical Carpenter Pencil



- Flat design will not roll
- Metal pocket clip
- High-impact body
- Holds 3 back up leads (included)
- No sharpening required, advance with thumb
- · Replacement lead 10-pack sold separately
- Models:

3400 Insta-Mark Carpenter Pencil

10-pack Insta-Mark® Replacement Lead

- Indiana hotes



- Lead free, non-toxic
- Weather and fade resistant
- Fit Peterson holder
- 12 Crayons per box

- Models:
 - **3512-R** Red
- **3512-B** Blue
- **3512-K** Black
- 3512-Y Yellow



Tru-Line® Carded Lumber Crayons

- Lead free, non-toxic
- · Weather and fade resistant
- Fit Peterson holder
- 2 Crayons per card

- Models:
- **3502-R** Red 3502-B
- Blue Black 3502-K
- 3502-Y Yellow





FLAGGING & BARRICADE

Barricade Tape

- High-visibility colors
- Bold, easy reading black ink print
- Durable plastic
- Rolls individually labeled and UPC'd



• Models:

3321 300' x 3" Yellow - CAUTION

3322 300' x 3" Red - DANGER DO NOT ENTER

3324 1,000' x 3" Yellow - CAUTION

Flagging Tape

- Fluorescent colors
- Durable plastic remains pliant in cold weather
- Rolls individually labeled and UPC'd

Models:

3301-R 200' x 1" Red **3301-P** 200' x 1" Pink **3301-L** 200' x 1" Lime

3301-O 200' x 1" Orange



Stake Flags

- 4" x 5" flag with 21" wire stem
- Packed in UPC'd bundles of 100
- Fluorescent colors

Models:

3350-R Red 3350-L Lime 3350-O Orange

3350-W White

100 per bundle 2-1/2" x 3-1/2" 100 per bundle 2-1/2" x 3-1/2"

100 per bundle 2-1/2" x 3-1/2" 100 per bundle 2-1/2" x 3-1/2"

CHALK BOX



1802-0000 Large Capacity Chalk Box

- Large fill opening to ease fill up and a no-leak stopper
- Strong ABS case
- · Large steel crank for durability
- 100 foot loosely woven polyester string that holds chalk well
- 15 oz. chalk capacity



Another Bright Idea from Johnson

Glo-View® is a phosphorescent (glow-in-the-dark) pigment with an afterglow period 10 times greater than conventional phosphorescents. Not only does **Glo-View**® offer a greater illumination time, it also has greater luminescence. It lasts longer and burns brighter.

Unlike other lighted levels, you'll never need batteries. Our patented **Glo-View**® material is excited with a light source rich in UV (ultraviolet). Simply expose your **Glo-View**® level to sunlight or even a flashlight and you're ready to work in dimly-lit work environments. The longer you expose **Glo-View**®, the brighter and longer it illuminates.

Not only is **Glo-View**® free of hazardous and radioactive material, but it has exceptional weather and light fastness. Unlike battery powered systems, **Glo-View**® will last the life of your level.

EXCLUSIVE GLOW-IN-THE-DARK
VIAL SYSTEM






Professional Accuracy, High-Visibility Laser Levels

With the introduction of AccuLine Pro® laser levels, Johnson Level & Tool redefines the feature/value equation for precision measurement devices.

User-friendly features like scan modes, slope modes, and automatic leveling help AccuLine Pro® laser levels make quick work of any job site leveling task.



Innovative GreenBrite® technology—with its signature green beam—introduces a new level of performance and value for professional users. The ultra-visible beam (400% brighter than red beam laser levels) helps improve measuring speed and accuracy when used for indoor applications.

The human eye perceives the intensity of light best towards the middle of the spectrum since the intensity of light is greatest at that point. Light intensity falls off at either end of the spectrum. Hence, the center of the spectrum where "green" light exists is the highest (or brightest) part of the spectrum with regards to intensity.

GREEN BEAM IS 400% BRIGHTER THAN RED BEAM LASERS.



Having trouble remembering Johnson's toll-free number?



JUST ONE MORE THING TO MAKE IT EASY TO BUY JOHNSON!

6333 W. Donges Bay Road | Mequon, Wisconsin 53092 262.242.1161 | Fax: 262.242.0189